


DECLARATION OF PERFORMANCE

No **DOP001PAN**

1. Unique identification code of the product-type
Dry-pressed ceramic tiles with low water absorption $E_b \leq 0,5 \%$.
2. Intended use
Ceramic tiles for flooring and wall finishes, internal and external applications.
3. Name and contact address of the manufacturer
PANARIA CERAMICA, via Panaria Bassa 22/a, 41034 Finale Emilia (MO) – ITALY
4. System of assessment and verification of constancy of performance of the construction products (AVCP)
System 4
5. Name and identification number of notified body, if applicable
Not applicable

6. Declared performance

| Essential characteristics | Performance | Harmonised technical specifications |
|--|------------------------------|---|
| Reaction to fire | A1fl/A1 |  EN 14411:2012 |
| Release of dangerous substances | | |
| - Cadmium | NPD | |
| - Lead | NPD | |
| Breaking strength | ≥ 1300 N | |
| Modulus of rupture | ≥ 35 N/mm ² | |
| Slip resistance | See Annex enclosed | |
| Tactility | NPD | |
| Adhesion resistance | | |
| - Cementitious adhesive C1 class | $\geq 0,5$ N/mm ² | |
| - Cementitious adhesive C2 class | $\geq 1,0$ N/mm ² | |
| Thermal shock resistance | Passed | |
| Durability | | |
| - Internal use | Passed | |
| - External use: Frost resistance | Passed | |

7. The performance of the product identified in point 1 is in conformity with the declared performance in point 6.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Finale Emilia, March 26th 2019

Signed for and on behalf of the manufacturer by

Enrico Mantovani

Enrico Mantovani, Panaria Ceramica Quality Dept.

Annex to the Declaration Of Performance N. DOP001PAN

| Slip Resistance | | | |
|------------------------|--|------------------|---------------------------|
| Series | Products | DIN 51130 | BCRA D.M. 236/1989 |
| Aisthesis | Bianco Naturale, Paglierino Naturale, Sabbia Naturale, Lavica Naturale, Cacao Naturale | R9 | >0,40 |
| Aisthesis | Bianco Lappato, Paglierino Lappato, Sabbia Lappato, Lavica Lappato, Cacao Lappato | NPD | NPD |
| Assi d' Alpe | Chalet, Badia, Ciasa, Stube, Maso | R10 | >0,40 |
| Bioarch | Barge Gialla, Barge Grigia | R11 | >0,40 |
| Bioarch | Barge Gialla Spazzolata, Barge Grigia Spazzolata, Barge Nera Spazzolata | R10 | >0,40 |
| Buxstone | Almond, Shell, Flint, Clay | R9 | >0,40 |
| Buxstone | Almond Wellness, Shell Wellness, Flint Wellness, Clay Wellness | R10 | >0,40 |
| Buxstone Anticata | Warm Anticata, Cold Anticata | R12 | >0,40 |
| Citylife | Store, Arena, Walk, Square, Avenue | R9 | >0,40 |
| Citylife Strutturato | Store Strutturato, Arena Strutturato, Walk Strutturato, Square Strutturato, Avenue Strutturato | R11 | >0,40 |
| Discover | White, Sun, Plan, Origin | R9 | >0,40 |
| Discover | White Lappato, Sun Lappato, Plan Lappato, Origin Lappato | NPD | NPD |
| Discover | White Strutturato, Sun Strutturato, Plan Strutturato, Origin Strutturato | R11 | >0,40 |
| Doghe di Quercia | Quercia Sbiancata, Quercia Naturale, Quercia Anticata, Quercia Oliata, Quercia Verniciata, Quercia Perlata | R9 | >0,40 |
| Doghe di Quercia | Quercia Oliata Deck, Quercia Verniciata Deck, Quercia Perlata Deck | R11 | >0,40 |
| Experience | Bianco Denso, Beige Tenue, Grigio Vivo, Nero Puro | NPD | NPD |
| Experience | Beige Tenue Strutturato, Grigio Vivo Strutturato, Nero Puro Strutturato | R11 | >0,40 |
| La Pierre | Pierre de Nuit, Pierre du Soleil | R9 | >0,40 |
| La Pierre | Pierre de Nuit Bocciardato, Pierre du Soleil Bocciardato | R12 | >0,40 |
| Antico Listone | Faggio, Larice, Iroko, Olmo | NPD | NPD |
| Ardesign | Pietra Sublime, Pietra Nobile, Pietra Eterna | R10 | >0,40 |
| Cotto Albergati | Regale Matt, Cardinale Matt | R9 | >0,40 |
| Cotto Albergati | Regale Lux, Cardinale Lux | NPD | NPD |
| Ethos | Vogue | R9 | NPD |
| Ethos | Vogue Grip | R12 | >0,40 |
| Freedom | Young, Smart, Charm | R9 | >0,40 |
| Freedom | Smart Grip | R12 | >0,40 |

PANARIA CERAMICA – Via Panaria Bassa, 22/a – 41034 Finale Emilia (MO) Italy – email info@panaria.it – www.panaria.it

Tel. +39 0535 95111 - Fax +39 0535 95111 90503 - Fax (amm.) +39 0535 95244 - Fax (comm. Italia) +39 0535 95263 - Fax (comm. Europe) +39 0535 95254
Panariagroup Industrie Ceramiche S.p.A. - Sede Legale: Via Panaria Bassa 22/a - 41034 FINALE EMILIA (Modena) Italy - Capitale Sociale Euro 22.677.645,50 Int.Vers. - R.E.A.
248427 Partita I.V.A. , CF e Iscrizione al Registro Imprese di Modena n. 01865640369

Slip Resistance

| Series | Products | DIN 51130 | BCRA D.M. 236/1989 |
|-------------------|---|-----------|--------------------|
| Heartwood Classic | Classnoce, Classteak | R9 | >0,40 |
| Italian Stone | Bottesino Classico, Mapiano Rosato | NPD | >0,40 |
| Kult | Blue Night, Green Amazon, Grey Light, White Stone, Wood Land, Gold Mine, Red Oak | R9 | >0,40 |
| Kult | White Stone Grip | R12 | >0,40 |
| Magnifica | Marmara, Marfil | NPD | NPD |
| Mods | Mayfair Naturale, Victoria Naturale, Piccadilly Naturale, City Naturale, Docks Naturale | R9 | >0,40 |
| Mods | Mayfair Lappato, Victoria Lappato, Piccadilly Lappato, City Lappato, Docks Lappato | >0,40 | NPD |
| Mods | Mayfair Sky, Victoria Sky, Piccadilly Sky, City Sky, Docks Sky | R11 | >0,40 |
| Petra Latina | Tiburtino Chiaro, Nocciola Senese, Navona Dorato, Bruno Impero | NPD | >0,40 |
| Petra Latina | Tiburtino Chiaro Grip | R12 | >0,40 |
| Pietre di Fanes | Rosso Misto, Grigio Misto | R11 | >0,40 |
| Town | Bianco, Nocciola, Grigio, Antracite, Fango, Notte | R9 | NPD |
| D-Mansion | Soft, Fine, Rich | NPD | NPD |
| Flashback | Grey Stone, Gold Fossil, Brown Petrified, White Ancient | NPD | NPD |
| Headline | Herald, Tribune, Observer, Chronicle | NPD | NPD |
| Planet | Jupiter, Saturn, Mars, Mercury | NPD | NPD |
| Suite | Statue, Arabesque, Ice, Imperial | NPD | NPD |
| Vitalyty | Earth, Wind, Fire | NPD | NPD |
| Wood You | Stucco, Dolce, Corda, Fumo, Noce, Bruno | NPD | NPD |
| Urbanature | Cement, Concrete, Lime, Portland, Silicon | R9 | >0,40 |
| Urbanature | Cement Strutturato, Concrete Strutturato, Portland Strutturato, Silicon Strutturato | R11 | >0,40 |
| Basalike | Lightgray, Softgray, Skygray, Deepgray | R10 | >0,40 |
| Basalike | Lightgray Strutturato, Softgray Strutturato, Skygray Strutturato, Deepgray Strutturato | R11 | >0,40 |
| Memory Mood | Creamy, Hazel, Copper, Sheer, Dim, Keen | R10 | >0,40 |
| Memory Mood | Hazel Strutturato, Dim Strutturato | R11 | >0,40 |
| North Cape | Rondane, Gutulia, Reisa, Drove | R9 | >0,40 |
| Petra Solis | Somnium, Fabula, Visio, Mirum | R10 | >0,40 |
| Petra Solis | Somnium Strutturato, Fabula Strutturato, Visio Strutturato, Mirum Strutturato | R11 | >0,40 |

Slip Resistance

| Series | Products | DIN 51130 | BCRA D.M. 236/1989 |
|-------------|--|-----------|--------------------|
| Glance | Off White, Pearl, Taupe, Smoke, Coal | R10 | >0,40 |
| Glance | Pearl Strutturato, Taupe Strutturato, Smoke Strutturato, Coal Strutturato | R11 | >0,40 |
| Glance | Pearl 20 mm, Taupe 20 mm, Smoke 20 mm, Coal 20 mm | R11 | >0,40 |
| Cross Wood | Bone, Buff, Dust, Cinder, Ebony | R10 | >0,40 |
| Cross Wood | Buff Ext, Dust Ext, Cinder Ext, Ebony Ext | R11 | >0,40 |
| Cross Wood | Buff 20 mm, Dust 20 mm, Cinder 20 mm | R11 | >0,40 |
| Prime Stone | White Prime Soft, Silver Prime Soft, Sand Prime Soft, Greige Prime Soft, Black Prime Soft | R9 | >0,40 |
| Prime Stone | White Prime Lux, Silver Prime Lux, Sand Prime Lux, Greige Prime Lux, Black Prime Lux | NPD | NPD |
| Prime Stone | White Prime Strutturato, Silver Prime Strutturato, Sand Prime Strutturato, Greige Prime Strutturato, Black Prime Strutturato | R11 | >0,40 |
| Prime Stone | Silver Prime Strutturato 20mm, Sand Prime Strutturato 20mm, Greige Prime Strutturato 20mm, Black Prime Strutturato 20mm | R11 | >0,40 |
| Trilogy | Calacatta White Soft, Onyx Light Soft, Sky Smoke Soft, Moon Beige Soft, Sand Grey Soft | NPD | NPD |
| Trilogy | Calacatta White Lux, Onyx Light Lux, Sky Smoke Lux, Moon Beige Lux, Sand Grey Lux | NPD | NPD |
| Horizon | Sunrise, Sunset, Sky, Cloud, Storm | R10 | >0,40 |
| Horizon | Sunrise Strutturato, Sunset Strutturato, Cloud Strutturato, Storm Strutturato | R11 | >0,40 |
| Horizon | Sunrise Strutturato 20 mm, Sunset Strutturato 20 mm, Cloud Strutturato 20 mm, Storm Strutturato 20 mm | R11 | >0,40 |
| Chic Wood | Milk, Honey, Coco, Foam, Ember | R10 | >0,40 |
| Chic Wood | Milk EXT, Honey EXT, Coco EXT | R11 | >0,40 |
| Chic Wood | Milk 20 mm, Honey 20 mm, Coco 20 mm | R11 | >0,40 |
| Nuance | Caramel Nat, Miel Nat, Tabac Nat, Cendre Nat, Perle Nat | R10 | >0,40 |
| Nuance | Caramel Strutturato, Miel Strutturato, Tabac Strutturato, Cendre Strutturato, Perle Strutturato | R11 | >0,40 |
| Eternity | Statuario White Lux, Arabesque Pearl Lux, Breach Grey Lux, Marquina Black Lux | NPD | NPD |
| Eternity | Statuario White Soft, Arabesque Pearl Soft, Breach Grey Soft, Marquina Black Soft | NPD | NPD |
| Context | Square Nat, Loft Nat, Store Nat, Hangar Nat, Mansion Nat | R10 | >0,40 |
| Context | Square Soft, Loft Soft, Store Soft, Hangar Soft, Mansion Soft | NPD | NPD |

| | | | |
|------------------|--|-----|-------|
| Context | Square Strutturato, Loft Strutturato, Store Strutturato, Hangar Strutturato, Mansion Strutturato | R11 | >0,40 |
| Pierre des Reves | Aurore Strutturato, Nuage Strutturato, Oubli Strutturato | R11 | >0,40 |
| Frame | Glen Nat, Peack Nat, River Nat, Goove Nat | R10 | >0,40 |
| Frame | Glen Strutturato, Peack Strutturato, River Strutturato, Goove Strutturato | R11 | >0,40 |
| Tracks | Pale, Soil, Ash, Mud | R10 | >0,40 |
| Tracks | Muretto Blend | NPD | NPD |
| Rock Style | R-Gold, R-Silver, R-Royal | NPD | NPD |
| Genesis | Birth, Soul, Root, Gloam | R10 | >0,40 |
| Genesis | Muretto Raimbow, Muretto Spectre | NPD | NPD |
| Genesis | Soul Strutturato, Root Strutturato | R11 | >0,40 |
| Motion | Clear, Land, Mid, Dun, Carbon | R9 | >0,40 |
| Motion | Land Strutturato, Dun Strutturato | R11 | >0,40 |
| In-Wood | In-Mood, In-Life, In-Style, In-Trend, In-Beat | R10 | >0,40 |
| In-Wood | In-Life EXT, In-Trend EXT | R11 | >0,40 |
| Wood Relive | Florida, Alaska, Oregon, Montana | R10 | >0,40 |